

## Material Safety Data Sheet – InSight V-IA Canine Distemper Virus Antigen (CDV Ag) Rapid Quantitative Test

### Section 1 – Product and Company Identification

**Manufacturer:** Woodley Equipment Company Ltd.

Old Station Park Buildings, St. John Street, Horwich, Bolton, BL6 7NY, UK

Tel: +44 (0) 1204 669033

Email: sales@woodleyequipment.com

**Product Name:** InSight V-IA Canine Distemper Virus Antigen (CDV Ag) Rapid Quantitative Test

**Product Description:** For the quantitative determination of CDV Ag concentration in canine nasopharyngeal secretions, saliva or ocular secretions. Detection buffer is used for diluting the sample.

### Section 2 – Composition/Information on Ingredients

**Description of Components:**

Chemical Name	Applications
NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O	Detecting buffer, 0-0.05M
Na <sub>2</sub> HPO <sub>4</sub> ·12H <sub>2</sub> O	Detecting buffer, 0-0.05M
NaCl	Dissolve in PBS buffer, 0-2%
PVP-40	Dissolve in PBS buffer, 0-2%
Triton X-100	Dissolve in PBS buffer, 0-2%
EDTA-2Na	Dissolve in PBS buffer, 0-0.05 M
Proclin 300	Dissolve in PBS buffer, 0-0.05%
PVC Board	Support glass fibre and cellulose nitrate films
Glass Fibre	Base of sample pad and microsphere pad
Nitrocellulose Membrane	Immobilise test line reagent and control line reagent
Anti-CDV Monoclonal Antibody, Mouse	Test line reagent, bound to fluorescent microsphere
Rabbit IgG	Control line reagent
Goat Anti Rabbit IgG	Bound to fluorescent microsphere
Fluorescent Microsphere	Bound to test and control line reagent
Bibulous Paper	Absorb the test samples to prevent the backflow of the samples
Desiccant	Silica gel, keep strip drying
Plastic Casing	Fixed reagent strip

**Hazardous Ingredients:** Hazardous solid or liquid substances present in >1%

Component	Cas #	Percentage
NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O	13472-35-0	0-0.05M
Na <sub>2</sub> HPO <sub>4</sub> ·12H <sub>2</sub> O	10039-32-4	0-0.5M
NaCl	7647-14-5	0-2%
PVP-40	9003-39-8	0-2%
Triton X-100	9002-93-1	0-2%
EDTA-2Na	6381-92-6	0-0.05M
Proclin 300		0-0.05%
No hazardous substances presented in detection buffer are greater than 1%		

**Section 2 Notes:** See Section 15 for additional information on hazard classifications

### Section 3 – Hazard Identification

**Emergency Overview:** Handle detection buffer in accordance with good industrial/personal hygiene and safety practice. Avoid unnecessary contact or exposure to detection buffer.

**Acute Health Hazards**

**Eye:** No information available

**Skin:** No information available

**Ingestion:** May be harmful if swallowed. Ingestion may cause nausea, vomiting, diarrhoea, abdominal pain and gastrointestinal irritation.

**Chronic Health Hazards:** None known

**Aggravated Medical Conditions:** No information available

### Section 4 – First Aid Measures

**Eye Contact:** Flush open eye under running water for 15 minutes or longer. If pain or irritation occurs, seek medical attention immediately.

**Skin Contact:** Wash contacted skin with soap and water. Remove contaminated clothing. If pain or irritation occurs, seek medical attention immediately.

**Ingestion:** Rinse mouth with water and seek medical attention immediately.

**Inhalation:** Inhalation of any component of this detection buffer is unlikely.

## Section 5 – Fire Fighting Measures

**Flash Point:** Non-combustible

**Auto-Ignition Temperature:** No information available

**Flammable Limits (Upper/Lower):** No information available

**Extinguishing Media:** Water spray, dry chemical, carbon dioxide or alcohol-resistant foam

**Special Fire Fighting Procedures:** Use suitable fire extinguishing media to surrounding fire. Wear self-contained breathing apparatus and full protective suit if necessary. If possible, prevent run off water from entering the sewage drains or other environmentally sensitive areas.

**Unusual Fire and Explosion Hazards:** Irritating fumes or toxic gases, such as carbon monoxide and carbon dioxide, could be produced.

**NFPA Hazard Classification:** Health 1  
Flammability 0  
Reactivity 0

## Section 6 – Accidental Release Measures

**Personal Precautions:** Avoid contact with skin, eyes and clothing and wear personal protective clothing.

**Environmental Precautions:** Should not be released to the environment. Contain any spilled liquids with absorbent to prevent migration.

**Method for Containment and Clean Up:** Absorb with liquid-binding material (sand, diatomite or universal binders). Use safety glasses, protective gloves and lab coat when handling spills.

## Section 7 – Handling and Storage

**Handling:** Avoid contact with skin, eyes and clothing. Routine Biosafety and Universal Precautions should be strictly followed when using this detection buffer.

**Storage:** Follow the storage instructions on the package insert.

## Section 8 – Exposure Control and Personal Protection

**Engineering Controls:** Ensure that eyewash station and safety shower are close to the workstation

**Ventilation:** General laboratory ventilation should be adequate

**Respiratory Protection:** No respiratory protection is required under normal conditions of use

**Eye Protection:** Chemical safety eyeglasses or goggles are recommended

**Skin Protection:** Appropriate gloves and lab coat should be worn to prevent skin and clothing contact

**Exposure Limits:** No information available

## Section 9 – Physical and Chemical Properties

Characteristic	Proclin 300
Appearance	Colourless solution
Odour	No information available
pH	4.1
Boiling Point (°C)	189°C
Melting Point (°C)	-40°C
Vapor Pressure (mmHg)	No information available
Vapor Density	No information available
Specific Gravity	No information available
Evaporation Rate	No information available
Water Solubility	Soluble

## Section 10 – Stability and Reactivity

**Stability:** Stable when stored at the recommended temperature

**Conditions to Avoid:** Avoid excess heat

**Incompatibility:** Refer to the information on package insert

**Hazardous Decomposition or By-Products:** Irritating fumes or toxic gases, such as carbon monoxide and carbon dioxide, could be produced

**Hazardous Polymerisation:** No hazardous polymerisation known

## Section 11 – Toxicological Information

No information available

## Section 12 – Ecological Information

The ecological effects of the components in this detection buffer have not been evaluated, but minimum or without adverse effects on the environment are expected. There is no aquatic toxicity data available at this time.

## Section 13 – Disposal Considerations

**Waste Disposal Method:** Disposal must be made in accordance with applicable country, federal, state and local regulations. Used reagents and positive controls should be handled as biological waste.

## Section 14 – Transport Information

Not a hazardous material for transportation.

NOT restricted as per IATA DRG 61st edition.

**DOT Regulation:**

**Hazard Class:** None

**Land Transport ADR/RID (Cross-Border) ADR/RID CLASS:** None

**Maritime Transport IMDG:**

**IMDG Class:** None

**Air Transport ICAO-TI and IATA-DGR:**

**ICAO/IATA Class:** Product is Non-DG cargo under 2020 IATA Dangerous Goods Regulation 61st edition and all applicable carrier and governmental regulations

**Transport/Additional Information:** Not dangerous according to the above specifications

**Section 14 Notes:** The detection buffer is not regulated for transport

## Section 15 – Regulatory Information

**SARA 311/312 Hazard Categories:** None

**SARA 313 Reportable Ingredients:** None

**U.S. TSCA Inventory Status:** Not applicable

**CERCLA:** None

**California Proposition 65:** This product does not contain any Proposition 65 chemicals

**Canadian WHMIS Classification:** None

## Section 16 – Other Information

To the best of our knowledge, the information provided herein is accurate but does not purport to be all inclusive. It is intended to provide a general guidance in terms of safe handling, storage and disposal of materials. Woodley Equipment Company thus assumes no liabilities for any damage or loss resulting from handling or from contact with this product. Contact Woodley Equipment Company if additional information is needed.

**Prepared By:** Woodley Equipment Company Ltd.

Old Station Park Buildings, St. John Street, Horwich, Bolton, BL6 7NY, UK

Tel: +44 (0) 1204 669033

Email: [sales@woodleyequipment.com](mailto:sales@woodleyequipment.com)

**Date:** 22<sup>nd</sup> June 2023