

## Haematocrit Centrifuge





"PASSIONATE ABOUT LABORATORY DIAGNOSTICS"





## Haematocrit Centrifuge

The Clinispin HCT is a benchtop centrifuge designed to hold 40/75mm length capillaries with 1mm diameter in its 24 positions.

It is equipped with a maintenance free drive, digital display and simple interface for silent and efficient operation.

## **FEATURES**

- Brushless DC Motor: Low maintenance and long lasting
- Precise RPM Control from 500 to 12,000 RPM with increments of 100 RPM
- Lid lock safety feature opens automatically on run completion
- Run timer with up to 12 minutes of run time
- Display toggle to alternate between RPM & RCF
- Large LCD Display for easy setting control and
- parameter display
- Small physical footprint saves valuable bench space



## **SPECIFICATIONS**

Motor Type: Brushless DC Motor Rotor Capacity: 40/75mm length capillaries (1mm diameter) Speed Setting: 12,000 RPM 14,118 xg (Max. RCF)

Run Time: 1 to 12 minutes

Ambient Temperature: +5°C to +40°C Weight: 4.3kg approx. (with rotor) Dimensions: 330 (W) x 265 (D) x 161 (H) mm Power Adapter Details: Input - 100-240 VAC, 50/60 Hz Output - 24V \_\_\_\_\_ 6A

Power Consumption: 132W





sales@woodleyequipment.com



www.woodleyequipment.com

 Old Station Park Buildings St. John Street Horwich Bolton Lancashire BL6 7NY UK "PASSIONATE ABOUT LABORATORY DIAGNOSTICS"

