

► iCup® Urine Drug Test Kit

iCup drug test kits are available in the configurations listed below:


- I-DOA-1237 - 3 panel iCup drug test - THC, COC, mAMP
- I-DOA-3137 - 3 panel iCup drug test - COC, THC, mAMP
- I-DOA-187-041 - 8 panel iCup drug test - THC, COC, MDMA, OPI, PCP, AMP 300, BZO, BAR
- I-DOA-11107 - 10 panel iCup drug test - THC, COC, mAMP, OPI, PCP, AMP, BZO, BAR, MTD, TCA
- I-DOA-1107-051 - 10 panel iCup drug test - mAMP, COC, THC, AMP, OPI, OXY, PPX, BZO, BAR, MDMA

iCup drug test kits with adulteration test strips are available in the configurations listed below:

- I-DUA-147-012 - 4 panel iCup drug test - THC, COC, mAMP, OPI plus adulterant test
- I-DUA-157-013 - 5 panel iCup drug test - THC, COC, mAMP, OPI, AMP plus adulterant test
- I-DUA-157-023 - 5 panel iCup drug test - THC, COC, AMP, OPI, PCP plus adulterant test
- I-DUA-157-034 - 5 panel iCup drug test - THC, COC, OPI, PCP, mAMP plus adulterant test
- I-DUA-167-022 - 6 panel iCup drug test - THC, COC, mAMP, OPI, PCP, AMP plus adulterant test
- I-DUA-167-022 - 6 panel iCup drug test - THC, COC, OPI, AMP, mAMP, BZO plus adulterant test
- I-DUA-187-012 - 8 panel iCup drug test - THC, COC, OPI, AMP, mAMP, PCP, BZO, BAR
- -DUA-197-013 - 9 panel iCup drug test - THC, COC, mAMP, OPI, PCP AMP, BZO, BAR, MTD plus adulterant test

Simple Testing Procedure

1 Collect Specimen



2 Peel Back Label



3 Read the Results



Read results at five (5) minutes.
Results stable up to sixty (60) minutes.




NEGATIVE



NON-NEGATIVE



INVALID



SAMPLE ONLY - Colour chart NOT exact



UK Office

T: +44(0)8456 777001

F: +44(0)8456 777002

E: enquiries@woodleyequipment.com

USA Office

T: 1 800 471 9200 / 1 718 606 0516

F: 1 718 606 0955

www.woodleyequipment.com

WOODLEY
EQUIPMENT COMPANY LTD.